



ENOC PROTEC X-TREME

PRODUCT DESCRIPTION

ENOC PROTEC X-TREME is a high technology **fully synthetic lubricant** for the latest model passenger cars requiring performance specification exceeding API SM developed to provide maximum protection for all passenger cars, including high performance cars and cars with low emission engines with catalytic converts fitted to the vehicles. It is available as a SAE 5W-40 and SAE 5W-50 viscosity grades to provide maximum fuel saving and to meet long drain requirements. Compatible for all cars running on lead free gasoline.

APPLICATIONS

- ◆ All new makes of passenger cars
- ◆ High performance cars normally aspirated and turbocharged gasoline engines
- ◆ Cars fitted with exhaust catalytic converts to meet low emission requirements
- ◆ Four stroke motorcycle engines where motor oils are recommended
- ◆ Latest model Japanese, American and European cars.

PERFORMANCE STANDARDS

PROTEC X-TREME meets and exceeds the following International specifications:

API	SM/CF	MB	229.3
ACEA	A3-04, B3-04, B4-04	BMW	Longlife Oil-01
VW	502.00/505.00	Porsche Cars	
PSA	Peugeot Citroen		
OPEL	GM -LL-025		

Always follow equipment manufacturer's recommendations for required lubricant performance level and oil drain intervals.

BENEFITS

PROTEC X-TREME provides:

- ◆ The highest level of engine protection for all manufacturers
- ◆ Extended engine life
- ◆ Superior resistance to oil thickening
- ◆ Excellent protection against wear
- ◆ Suitable for low emission engines
- ◆ Excellent low temperature easy starting

Technical Data*		
	5W-40	5W-50
SAE Grade		
Density kg/m ³	0.849	0.8523
Kinematic Viscosity mm ² /s @ 40°C	89	113.2
Kinematic Viscosity mm ² /s @ 100°C	14.3	18.37
Viscosity Index	172	181
Flash Point COC	220	224
Pour Point, °C	-33	-39
TBN, mg of KOH/g	9.6	9.6
Product Code	210018	210035

*The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.